SPEC SHEETS

DINGEWOOD
AWESOMENESS BY THE BOARD FOOT

ABOUT US

DINGEWOOD specializes in rustic pre-finished architectural wood products for residential and commercial use, including Doors, Molding, Flooring, Cabinets, and Siding. Rather than working with reclaimed wood, our proprietary wood oxidation techniques create barnwood. Our unlimited supply guarantees you will have the materials you need, when you need them, at a price you can afford.

Our goal is to deliver the highest end product at a reasonable price and expedite your job completion by dramatically reducing bottlenecks. Ultimately, we want you to rock! We want your projects to rock too, which is why we deliver awesomeness by the board foot!



TABLE OF CONTENTS

CABINETS

PAGE 3 - 15



DOORS

PAGE 16- 27

FLOORS

PAGE 28 - 41

SIDING

PAGE 42 - 54

MOLDING

PAGE 56 - 61

FIXTURES

PAGE 63 - 68

DINGEWOOD
AWESOMENESS BY THE BOARD FOOT
CABINETRY
DINGEWOOD
AWESOMENESS BY THE BOARD FOOT

ABOUT US

DINGEWOOD **specializes in rustic pre-finished architectural wood products for residential and commercial use, including Doors, Molding, Flooring, Cabinets, and Siding. Rather than working with reclaimed wood, our proprietary wood oxidation techniques create barnwood. Our unlimited supply guarantees you will have the materials you need, when you need them, at a price you can afford.**

Our goal is to deliver the highest end product at a reasonable price and expedite your job completion by dramatically reducing bottlenecks. Ultimately, we want you to rock! We want your projects to rock too, which is why we deliver awesomeness by the board foot!



CABINETRY

DINGEWOOD cabinetry is constructed with the highest quality standards in craftsmanship. Quality hardwood lumber is used to construct the bases, doors and drawer boxes. DINGE uses only the finest wood stain products available on the market today, ensuring gorgeous, realistically weathered cabinets.

We are making sure more than just your cabinets last through our strict adherence to environmentally sensitive manufacturing policies and procedures. We use only durable melamine that has been thermally bonded with no-added formaldehyde resins to a particle board manufactured with wood content that is Forest Stewardship Council (FSC) Mixed Use certified. And the resins used for the core material contain no-added urea formaldehyde.



CABINETRY INFORMATION

DINGEWOOD cabinetry is known for its pristine construction standards and flexibility of design. Cabinets are constructed in state of the art facility and can be shipped throughout the nation.

Cabinets are available in one inch thickness and come in a variety of hardwood species, including:

- Cherry
- Maple
- Alder
- Knotty Alder
- Hickory
- Beech
- White Oak
- Walnut

Cabinets are of such quality to be suitable for commercial and residential, flush and molded, spaces. Five standard door styles are available and can fit any space stylistically. Each door requires minimal work, ready to be mounted. Custom door styles are available for special order.

Sassy

DINGEWOOD

CABINETRY EXAMPLES

Cabinet Style: ATLAS
Color: SUMMIT
Wood Species: ALDER

Cabinet Style: PRINCETON
Color: SLATE
Wood Species: ALDER

Cabinet Style: DUET
Color: BARK
Wood Species: RIP SAWN, CHERRY

DINGEWOOD

CABINETRY EXAMPLES

Cabinet Style: DUET
Color: GUNMETAL
Wood Species: Quarter Sawn,

Cabinet Style: DUET, RAISED PANEL
Color: SUMMIT
Wood Species: KNOTTY ALDER

Style: GETTYSBURG
Color: RIVERROCK
Wood Species: MAPLE

DINGEWOOD

CABINETRY EXAMPLES

Cabinet Style: SHAKER
Color: DUSK
Wood Species: HICKORY

Cabinet Style: DUET
Color: BARK
Wood Species: RIP SAWN, CHERRY

Cabinet Style: SHAKER
Color: SANDSTONE
Wood Species: HICKORY

DINGEWOOD

CABINETRY EXAMPLES

Cabinet Style: SHAKER
Color: GREIGE
Wood Species: POPLAR

Style: GETTYSBURG
Color: ALMOND
Wood Species: KNOTTY ALDER

Cabinet Style: MONTICELLO
Color: HARVEST
Wood Species: WHITE OAK

CABINET PROFILES

BRENTWOOD

GETTYSBURG

BRENTWOOD

DUET

FALMOUTH

MONTICELLO

CATHAM



SHAKER

FAIRFAX

PRINCETON

COPENHAGEN

CABINETS

CABINET COLORS & SPECIES



CABINET COLORS & SPECIES



DINGEWOOD
AWESOMENESS BY THE BOARD FOOT
WOOD DOORS
DINGEWOOD
AWESOMENESS BY THE BOARD FOOT

DINGEWOOD DOORS

DINGEWOOD DOORS ROCK!

DINGEWOOD specializes in rustic pre-finished architectural wood products for residential and commercial use, including Doors, Molding, Flooring, and Siding. Rather than working with reclaimed wood, our proprietary wood oxidation techniques create barnwood. Our unlimited supply guarantees you will have the materials you need, when you need them, at a price you can afford.

Our goal is to deliver the highest end product at a reasonable price and expedite your job completion by dramatically reducing bottlenecks. Ultimately, we want you to rock! We want your projects to rock too, which is why we deliver awesomeness by the board foot!

Traditional doors are incredibly bland. Walk through any home or business and you'll either see boring cheap white hollow core doors or depressing corporate gray doors. Isn't it about time to rock? Get with the times! Rustic is in! Our solid core doors are awesome! We want your world to be awesome too!



SOLID WOOD DOORS

DINGEWOOD is known for its construction standards and flexibility of design. Doors are constructed in a state of the art facility right here in the USA.
Doors are available in a variety of hardwood species, including:

- Alder
- Knotty Alder
- Cherry
- Maple
- White Oak
- Poplar
- Hickory

Interior wood doors have a 90 minute fire rating. All doors are finished with earth friendly products and can be shipped anywhere in the country.

Each door requires minimal prep work upon delivery. Our high standards ensure complete client satisfaction.

DOORS

DOOR CONSTRUCTION

PROFILE



SPECIFICATIONS

- Thickness: 1-¾ " or 2- ¼ “
- LVL Cores in all models.
- Stile: 5” minimum
- Top Rail: 5” minimum
- Bottom Rail: 8-1/4” minimum
- Machining: Available
- Widths: Custom widths available
- Kick Plate: Top max. 18” from bottom
- Surface: Wood veneer, 3 ply
- Factory finishes available
- LEED credits available
- 90 min Fire Rating

LVL CORE



Laminated Veneer Lumber

DINGEWOOD solid wood doors are comprised of a LVL core, to ensure highest level of door stability. The strength of the LVL core comes from a series of tightly bound wood veneers, glued together layer upon layer. Doors lacking LVL core are prone to warping or twisting.

Wood Core

Bonded and sanded structural composite lumber core with 3 ply wood veneer overtop. We manufacture the LVL core so we know what is in our material and its structural integrity.

STYLE: SHAKER

SHAKER INTERIOR

SHAKER

Shaker style doors come with between 2-5 panels. Our solid floating panels can be raised or flat, and are designed to move with the natural expansion and construction of the wood. Select from several different quality hardwood species, and then choose your grade of lumber.

See our color chart for available wood species and color choices. We use VOC Free products to ensure you and your clients will be happy for a lifetime.

DETAILS

- Our doors are stile and rail construction available in 1-¾ " or 2- ¼ " thickness.
- Custom widths are available on request.
- LVL Cores in all models.
- Exterior doors are glued and doweled with a marine epoxy to withstand the worst weather.
- Our solid floating panels can be raised or flat, and are designed to move with the natural expansion and construction of the wood.
- 2-5 Panels
- 90 Min. Fire Rating

DOORS

Shown: 2 Panel, Flat
Alder, Color Summit, White Wash

STYLE: SHAKER EXAMPLES

2 Panel, Flat
Poplar, Color Sandstone

2 Panel, Flat
Alder, Color Almond

2 Panel, Flat
Cherry, Color Bark

3 Panel Shaker, Flat
Alder, Color Summit, White Wash

4 Equal Panel, Flat
Hickory, Color Dusk

3 Equal Panel, Raised
Alder, Color Summit

4 Equal Panel, Flat
Pine, Color: Granite

5 Panel Shaker, Raised
Alder, Color Atlantic

DOORS

STYLE: PARK CITY

PARK CITY INTERIOR

Style: Park City
Alder, Color Almond

PARK CITY

The Park City door design is an architectural quality, solid wood door. Choose from the highest quality wood species, and then choose your grade of lumber. With end to end control in the manufacturing process, you won't be disappointed with our products.

See our color chart for available wood species and color choices. We use VOC Free products to ensure you and your clients will be healthy over time, since our doors don't off let harmful VOC's.

DETAILS

- Our doors are stile and rail construction available in 1-¾ " or 2-¼ " thickness.
- Custom widths are available on request.
- LVL Cores in all models.
- Exterior doors are glued and doweled with a marine epoxy to withstand the worst weather.
- Heavy Duty 3 ply wood veneers with matching 1-¾ " or 2 ¼ " stile and composite lumber core.
- Machined to specification.
- 90 Min. Fire Rating

SLIDING RAIL BARN DOORS

PARK CITY BARNDOOR

Plank

Asterisk Brace

Z Brace

X Brace

DOORS

SPECIAL OPTIONS

TEXTURES

1. DISTRESSED

DINGEWOOD offers the exceptional feature of textured doors. DINGEWOOD offers LIMITED distressing, to help create an authentic weathered wood appearance.

2. SMOOTH FACE

DINGEWOOD doors do not have to be textured. You can order a “smooth face” door and still enjoy our special oxidizing stains. Smooth doors are modern and sleek.

CUSTOM WOOD DOORS

Do you love our colors, but have a custom door design in mind? That's not a problem. DINGEWOOD's USA based manufacturing plant can make your custom designed INTERIOR or EXTERIOR wood doors. If you have your CAD drawings, we can provide you with a quote and lead times.

DOORS

DOOR SPECIFICATIONS

INFORMATION

- DIMENSIONS: 3’6 x 8’ Maximum
- LVL: All doors are solid wood and have LVL core.
- VENEER: Triple Plywood
- FIRE RATING: 90 Minutes
- LEED: Up to 7 LEED credits available
- FINISHES: Raw Wood or Factory Finishes Available
- MADE in AMERICA: Milled and coated in USA mills

DOOR ORDERING INFORMATION

- LEAD TIMES: Limited door profiles are available in stock. Most orders are run to order, inquire for lead time.
- QUANTITY: Order 1 or more doors
- COLORS: Large variety of colors, both reactive and semi-transparent stains. Color choices are found on our website or DW Color Sheet.
- TOPCOAT: Doors are sealed with Dead Flat Varnish topcoat.
- COLOR MATCHING: Available
- SPECIES: Lumber comes in nearly any hardwood species.
- FINISHING: Factory finishes are available.

DOOR COLORS & SPECIES





DOORS


DINGEWOOD
AWESOMENESS BY THE BOARD FOOT
FLOORS
DINGEWOOD
AWESOMENESS BY THE BOARD FOOT

DINGEWOOD FLOORS

DINGEWOOD specializes in rustic pre-finished architectural wood products for residential and commercial use, including Doors, Molding, Flooring, Cabinets, and Siding. Rather than working with reclaimed wood, our proprietary wood oxidation techniques create barnwood. Our unlimited supply guarantees you will have the materials you need, when you need them, at a price you can afford.

DINGEWOOD FLOORING will blow your mind! Pictures don't do our floors justice. You actually need to see them. The highest factor on the floor list is of course color. Would you like that same rustic drift wood gray from the beaches of Seattle on your floors? Well we can give it to you. All we ask in return is that you come back and tell us how blown your mind is!

Our goal is to deliver the highest end product at a reasonable price and expedite your job completion by dramatically reducing bottlenecks. Ultimately, we want you to rock! We want your projects to rock too, which is why we deliver awesomeness by the board foot!



PREFABRICATED HARDWOOD FLOORS

ENGINEERED HARDWOOD FLOORS

Dingewood engineered hardwood floors have many advantages over solid wood floors. The layered construction techniques used in our wide planks won't cause gaps when the winter contracts the wood fibers. Our layers won't "pop" when the summer heat swells the wood fibers. Simply put, these floors stay flat! Plus engineered flooring is more stable than solid wood floors because there is less warping and cupping. Of course, manufacturing is only one component of awesome floors.

Floors are available in a variety of hardwood species, species having thier own unique hues.

HARDWOOD Species include:

- White Oak
- Maple
- Red Oak
- Hickory
- Cherry
- Ash

SOFTWOODS

- Douglas Fir
- Pine
- Alder

Floors are of such quality to be suitable for commercial and residential spaces. Numerous door styles are available and can fit any space stylistically

DINGE is a green company. We are making sure more than just your doors last through our strict adherence to environmentally sensitive manufacturing policies and procedures.

Style: DRIFT, WHITE WASH

Species: HARD MAPLE

FLOORS

Style: FALL, WHITE WASH

Species: WHITE OAK



FLOORS

Style: SANDSTONE, WHITE WASH

Species: HICKORY

FLOORS

Style: GUN METAL

Species: EUROPEAN WHITE OAK

FLOORS

Style: SAND

Species: EUROPEAN OAK

FLOORS

Style: BLUE CORN

Species: RED OAK

FLOORS

Style: HARVEST

Species: WHITE OAK

FLOORS

Style: MIDNIGHT

Species: WHITE OAK

FLOORS

Style: BARK

Species: CHERRY

FLOORS

Style: DRIFT, WHITE WASHED

Species: HARD MAPLE

FLOORS

Style: SMOKE, WHITE WASH

Species: DOUGLAS FIR

FLOORS

Style: MIST, WHITE WASH

Species: DOUGLAS FIR

FLOORS

FLOOR SPECIFICATIONS INFORMATION

- DIMENSIONS: 2”, 4”, 6” and 8” (for select species)
- STYLE: Engineered Hardwood
- TEXTURE: Smooth, Open Grain, Wire Brushed, & Hand Scraped
- LEED: Up to 7 LEED credits available
- FINISHES: Raw Wood or Factory Finishes Available
- MADE in AMERICA: Milled and coated in USA mills

FLOOR ORDERING INFORMATION

- LEAD TIMES: Most orders are run to order, inquire for lead time.
- QUANTITY: Minimum 1000 sq. ft.
- COLORS: Variety of reactive stains. Color choices are found on our website or DW Color Sheet.
- SPECIES: Floors comes in nearly any hardwood species aforementioned wood species.
- FINISHING: Floors are factory finished.
- TOPCOAT: Available sealers include for Maintenance Oils, UV Coating, and Polyurethane

FLOORS

DINGEWOOD
AWESOMENESS BY THE BOARD FOOT
SIDING
DINGEWOOD
AWESOMENESS BY THE BOARD FOOT



SIDING

DINGEWOOD SIDING is the best alternative to reclaimed wood. Our color and our pricing will send wicked chills up and down your spine, shocking your soul waves of delight! Our siding is known for its pristine construction standards and flexibility of design. When it comes to giving you the highest end rustic look on your walls, ceilings, or exteriors, we are your solution! Our products are S4S sealed and protected with a ten year warranty. Only FSC certified sustainable and renewable woods are used.

We specialize in delivering custom exterior siding and trim that has been pre-stained and treated to keep you exterior siding and trim to help protect your investment. D.W. products are aged to a realistic weathered finish using state of the art processes that can be topcoated for added durability. The finished look is both a gorgeous and sustainable weathered-looking material.

SIDING INFORMATION

DINGEWOOD siding is stunningly beautiful and made from the highest FSC quality materials. Siding comes in three styles: BEVEL, CHANNEL, & TONGUE & GROOVE.

Siding is available in a variety of wood species, including:

- Red Cedar
- Douglas Fir
- Redwood
- Alder
- Hemlock
- Poplar
- Pine

Siding is of such quality to be suitable for commercial and residential spaces. Numerous styles are available and can fit any space stylistically. Siding requires minimal prep work upon delivery. Our high standards ensure complete client satisfaction.

BEVEL SIDING OVERVIEW

BEVEL SIDING EXAMPLES



Style: BARNWOOD
Species: VG CEDAR, SMOOTH



Style: CLAY
Species: VG CEDAR SMOOTH

Beveled wood siding tapers from thick to thin, which gives it a layered look and allowing gaps that let the wood expand and contract. It is produced by resawing lumber at an angle to produce two pieces thicker on one edge than the other. The manufacturing process results in pieces with one face saw textured. The other face is smooth or saw textured depending on the grade and customer preference. Bevel siding is available in clear and knotty grades.

BEVEL SIDING PROFILES









CHANNEL SIDING OVERVIEW

CHANNEL SIDING EXAMPLES

Style: BARNWOOD
Species: SMOOTH FLAT CUT RED CEDAR

Style: BARNWOOD
Species: ROUGH RED CEDAR

Style: BARNWOOD
Species: VG RED CEDAR

Channel wood siding is a type of lap siding that leaves a "channel" or indent in the wood. Channel Rustic siding is installed horizontally with the edge of one board having a recessed area along its rear which receives the shaped top-rear edge of the board next to or below it, so as to exclude water during rainfall. In vertical applications, bevel cut the ends and install the channel siding so water is directed to the outside. Channel siding installs with a minimal amount of effort and material wastage. Clear grades are milled and priced to order. Channel Rustic Siding has 1/2” overlap (including an approximate 1/8” gap) and a 1” to 1 1/4” reveal that when installed creates a channel effect between siding boards.

CHANNEL SIDING PROFILES













TONGUE & GROOVE SIDING OVERVIEW

TONGUE & GROOVE EXAMPLES

Tongue & Groove style of installation is probably one of the most commonly used throughout the country. This wood siding is similar in appearance to that of Channel siding. It is produced by resawing lumber at an angle to produce two pieces thicker on one edge than the other. Tongue and groove siding is available with rough or smooth faces.

Style: ALMOND
Species: ALDER

Style: SUMMIT
Species: ALDER

TONGUE & GROOVE PROFILES























SIDING SPECIFICATIONS

- WIDTHS: Typically, 4”, 6”, 8”
- LENGTHS: Vary
- THICKNESS: Solid wood only, starts at ½ “
- COLORS: Large variety of colors, both reactive and semi-transparent stains. Color choices are found on our website or DW Color Sheet.
- COLOR MATCHING: Available
- LEED: Up to 7 LEED credits available
- FINISHES: Raw Wood or Factory Finishes Available



SIDING ORDERING INFORMATION

- LEAD TIMES: Limited wood species are available in stock. Most orders are run to order, inquire for lead time.
- QUANTITY: Orders can be placed by the linear foot, square foot or pallet. (Smallest orders typically begin at a half pallet.)
- SPECIES: Lumber comes in nearly any wood species.
- FINISHING: Factory finishes are available. We use 2 application methods, either S4S or only the faces.
    - S4S: Wood is run through a flood coat system and rack dried before being palletized.
    - Single Face: Color is applied using a spray application system, for a consistent and beautiful finish.
- EXTERIORS: Wood products may suitable for exterior use. Specify when ordering. Exterior woods are sealed with two coats of Exterior Waterproofer, with 6-10 year warranty.

TEXTURES

1st Tier

SMOOTH

ROUGH SAWN

2nd Tier

SAND BLASTED

HAND HEWN

WIRE BRUSHED

SIDING COLORS & SPECIES



SIDING COLORS & SPECIES

Color: ATLANTIC
Species: ALDER

Color: BLUE MOON
Species: ALDER

Color: GRANITE
Species: WHITE PINE

Color: PACIFIC
Species: PONDEROSA PINE

Color: MOONLIGHT, WHITEWASH
Species: BLUE PINE

Color: CHAR
Species: REDWOOD, SMOOTH

Color: CHAR
Species: REDWOOD, ROUGH

Color: ASH
Species: REDWOOD, SMOOTH

Color: RUST
Species: ALDER

Color: SUMMIT, WHITEWASH
Species: ALDER

Color: ALMOND
Species: ALDER

Color: FALL
Species: WHITE OAK

Color: SAND
Species: WHITE OAK

Color: MOONLIGHT
Species: BLUE PINE

DINGEWOOD
AWESOMENESS BY THE BOARD FOOT
MOLDINGS

MOLDINGS

DINGEWOOD MOLDINGS are known for their killer look and cutting edge style.

For generations our craftsmen have been working to bring our customers the finest quality, most beautiful wood moldings. Our wood moldings provide warmth and beauty to your home. Our hope is that you´ll find the right style to compliment whatever DINGEWOOD design you choose to create for your home. As you find the proper moldings for your home, you can customize the product by selecting your choice of wood species, distressed wood and pre-finishing options.

We specialize in serving the needs of building products distributors, millwork and cabinet manufacturers, flooring distributors, architects and designers, custom cabinet makers and fixture manufacturers. As both a wholesaler and manufacturer, DINGEWOOD is one of the largest producers of specialty moldings.

Our highly integrated production process affords us the ability to price our moldings competitively while delivering the highest quality moldings and services in the market. In addition to our collection of architecture-grade moldings, we have access to an extensive inventory of more than 100 different species of domestic and exotic lumber through our affiliated lumber yards.



MOLDINGS

MOLDING INFORMATION

DINGEWOOD MOLDINGS are known for their pristine construction and flexibility of design. Moldings are constructed in state of the art facility and can be shipped throughout the nation.

Moldings are available in a variety of hardwood species, including:

- Alder
- Knotty Alder
- Cherry
- Pine
- Poplar
- Birch

All DINGEWOOD molding is factory finished with earth friendly products and can sealed with a protective coating. Molding may be shipped anywhere in the country.

MOLDINGS

MOLDING PG 1:2





TRADITIONAL CASE & BASE



CUSTOM CASE & BASE



MOLDING AVAILABLE PROFILES

MOLDINGS

MOLDING PG 2:2

CROWN, HEADER, & PINTHS



CROWN



CROWN, HEADER, & PINTH AVAILABLE PROFILES

MOLDING COLORS & SPECIES

Style: ATLANTIC
Species: KNOTTY ALDER


Style: SUMMIT
Species: KNOTTY ALDER

Style: SUMMIT
Species: ALDER

Style: BEACH
Species: BEECH

Style: STORM
Species: BIRCH

Style: GREIGE
Species: POPLAR

Style: ATLANTIC
Species: PONDEROSA PINE

Style: FAWN
Species: ARO CEDAR

Style: FAWN, WHITE WASH
Species: ARO CEDAR

Style: GRANITE
Species: WHITE PINE

Style: SUMMIT, WHITE WASH
Species: KNOTTY ALDER

Style: SANDSTONE, WHITE WASH
Species: POPLAR

Style: MOONLIGHT
Species: BLUE PINE

Style: ALMOND
Species: ALDER

FIXTURES



FIXTURES

Yes! DINGEWOOD can provide top-quality products for the fixture market AND beat competitor lead times! D.W. products can be built to spec and our revolutionary color processes speed project times, cutting out weeks, if not months, from the construction time. Not only will our products arrive quickly, but the end results are breathtaking. Form and function unite to offer the highest end look.

DINGEWOOD. uses only the highest quality architectural coatings, to ensure gorgeous, realistically weathered looking materials. Wood siding can be ordered with a topcoat for the highest quality nano-technology exterior wood protection.

We are making sure more than just your cabinets last through our strict adherence to environmentally sensitive manufacturing policies and procedures.

FIXTURE INFORMATION

ARCHITECTURAL WOOD FIXTURES

DINGEWOOD siding is stunningly beautiful and made from the highest FSC quality materials. Our colors are unlike anything else on the market, replicating the look of authentic barnwood!

Wood can come in a WIDE range wood species, so you can get the perfect wood for your project. Not only that, prefabricated, weathered wood comes with unlimited supply and at a price you can afford!

Wood is of such quality to be suitable for commercial and residential spaces. Numerous styles are available and can fit any space stylistically. Our high standards and workmanship ensure complete client satisfaction.



CAPABILITIES

DINGEWOOD PRODUCT CAPABILITIES INCLU

- Merchandising Displays
- Kiosks: Cash wraps & Counters
- POP/POS
- Wood Trim, Wall
- Furniture, Tables & Seating
- Shelving, Standards & Hardware
- Displays
- Millwork
- Platforms, Risers
- Pedestals
- Gondolas
- Carts & Endcaps
- Architectural Trim & Moldings
- Slatwall & Slatwall Fixtures

INDUSTRIES

We have worked with numerous industries including:

- Flagship, Mall, Department, Outlet, and Pop-up Stores
- Grocery Stores, Restaurants, Food Courts
- Convenience Stores, Fast Food, Coffee Shops
- Luxury Hotels, Lobbies
- Pharmacies, Medical Clinics, Offices, Patient Rooms
- Salons and Spas

TEXTURES

1st Tier

SMOOTH

ROUGH SAWN

CARVED

2nd Tier

SAND BLASTED

HAND HEWN

WIRE BRUSHED

DINGEWOOD
AWESOMENESS BY THE BOARD FOOT
LUMBER
DINGEWOOD
AWESOMENESS BY THE BOARD FOOT



DIMENSIONAL LUMBER

DINGEWOOD. SIDING comes in a variety of profiles, widths, and sizes. Only FSC certified sustainable and renewable woods are used.

DINGEWOOD. uses only the highest quality architectural coatings, to ensure gorgeous, realistically weathered looking materials. Wood siding can be ordered with a topcoat for the highest quality nano-technology exterior wood protection, with warranty available.

We are making sure more than just your lumber last through our strict adherence to environmentally sensitive manufacturing policies and procedures.

LUMBER INFORMATION

DINGEWOOD lumber is stunningly beautiful and made from the highest FSC quality materials. Our colors are unlike anything else on the market, replicating the look of authentic barnwood!

Wood can come in a WIDE range wood species, so you can get the perfect wood for your project. Not only that, prefabricated, weathered wood comes with unlimited supply and at a price you can afford!

- Milled S4S Lumber can be provided in nearly any wood species.
- Exterior species can be waterproofed in our mill.

Wood and factory finishes are of such quality to be suitable for commercial and residential spaces. Numerous styles are available and can fit any space stylistically. Our high standards and workmanship ensure complete client satisfaction.

LUMBER SPECIFICATIONS

INFORMATION

- WIDTHS: Typically, 4”, 6”, 8”
- LENGTHS: Vary
- THICKNESS: Solid wood only, starts at ½ “
- COLORS: Large variety of colors, both reactive and semi-transparent stains.
- COLOR MATCHING: Available
- LEED: Up to 7 LEED credits available
- FINISHES: Raw Wood or Factory Finishes Available
- MADE in AMERICA: Milled and coated in USA mills



LUMBER ORDERING INFORMATION

- LEAD TIMES: Limited wood species are available in stock. Most orders are run to order, inquire for lead time.
- QUANTITY: Orders can be placed by the linear foot, square foot or pallet. (Smallest orders typically begin at a half pallet.)
- COLORS: Color choices are found on our website or DW Color Sheet.
- SPECIES: Lumber comes in nearly any wood species.
- FINISHING: Factory finishes are available. We use 2 application methods, either S4S or only the faces.
    - S4S: Wood is run through a flood coat system and rack dried before being palletized.
    - Single Face: Color is applied using a spray application system, for a consistent and beautiful finish.
- EXTERIORS: Wood products may suitable for exterior use. Specify when ordering. Exterior woods are sealed with two coats of Exterior Waterproofer, with 6-10 year warranty.

TEXTURES

1st Tier

SMOOTH

CARVED

ROUGH SAWN

2nd Tier

SAND BLASTED

HAND HEWN

WIRE BRUSHED

DINGEWOOD

AWESOMENESS BY THE BOARD FOOT

PH: 801. 427. 4450

EMAIL: Sales.Dingewood@_gmail.com

MAILING: 1343 S. 1110 W. Orem, UT 84058