



---

# DINGEWOOD DOORS

---

## DINGEWOOD DOORS ROCK!

DINGEWOOD specializes in rustic pre-finished architectural wood products for residential and commercial use, including Doors, Molding, Flooring, and Siding. Rather than working with reclaimed wood, our proprietary wood oxidation techniques create barnwood. Our unlimited supply guarantees you will have the materials you need, when you need them, at a price you can afford.

Our goal is to deliver the highest end product at a reasonable price and expedite your job completion by dramatically reducing bottlenecks. Ultimately, we want you to rock! We want your projects to rock too, which is why we deliver awesomeness by the board foot!

Traditional doors are incredibly bland. Walk through any home or business and you'll either see boring cheap white hollow core doors or depressing corporate gray doors. Isn't it about time to rock? Get with the times! Rustic is in! Our solid core doors are awesome! We want your world to be awesome too!

---

## SOLID WOOD DOORS

DINGEWOOD is known for its construction standards and flexibility of design. Doors are constructed in a state of the art facility right here in the USA.

Doors are available in a variety of hardwood species, including:

- Alder
- Knotty Alder
- Cherry
- Maple
- White Oak
- Poplar
- Hickory


Interior wood doors have a 90 minute fire rating. All doors are finished with earth friendly products and can be shipped anywhere in the country.

Each door requires minimal prep work upon delivery. Our high standards ensure complete client satisfaction.



# DOOR CONSTRUCTION

## PROFILE



## SPECIFICATIONS

- Thickness: 1-3/4" or 2- 1/4 "
- LVL Cores in all models.
- Stile: 5" minimum
- Top Rail: 5" minimum
- Bottom Rail: 8-1/4" minimum
- Machining: Available
- Widths: Custom widths available
- Kick Plate: Top max. 18" from bottom
- Surface: Wood veneer, 3 ply
- Factory finishes available
- LEED credits available
- 90 min Fire Rating

## LVL CORE



## Laminated Veneer Lumber

DINGEWOOD solid wood doors are comprised of a LVL core, to ensure highest level of door stability. The strength of the LVL core comes from a series of tightly bound wood veneers, glued together layer upon layer. Doors lacking LVL core are prone to warping or twisting.

## Wood Core

Bonded and sanded structural composite lumber core with 3 ply wood veneer overtop. We manufacture the LVL core so we know what is in our material and its structural integrity.

## STYLE: SHAKER



SHAKER INTERIOR

### SHAKER

Shaker style doors come with between 2-5 panels. Our solid floating panels can be raised or flat, and are designed to move with the natural expansion and construction of the wood. Select from several different quality hardwood species, and then choose your grade of lumber.

See our color chart for available wood species and color choices. We use VOC Free products to ensure you and your clients will be happy for a lifetime.

---

### DETAILS

- Our doors are stile and rail construction available in 1- $\frac{3}{4}$  " or 2- $\frac{1}{4}$  " thickness.
- Custom widths are available on request.
- LVL Cores in all models.
- Exterior doors are glued and doweled with a marine epoxy to withstand the worst weather.
- Our solid floating panels can be raised or flat, and are designed to move with the natural expansion and construction of the wood.
- 2-5 Panels
- 90 Min. Fire Rating

## STYLE: SHAKER EXAMPLES



2 Panel, Flat  
Poplar, Color Sandstone



2 Panel, Flat  
Alder, Color Almond



2 Panel, Flat  
Cherry, Color Bark



3 Panel Shaker, Flat  
Alder, Color Summit, White Wash



4 Equal Panel, Flat  
Hickory, Color Dusk



3 Equal Panel, Raised  
Alder, Color Summit



4 Equal Panel, Flat  
Pine, Color: Granite



5 Panel Shaker, Raised  
Alder, Color Atlantic

DOORS

# STYLE: PARK CITY



PARK CITY INTERIOR

Style: Park City  
Alder, Color Almond

DOORS

## PARK CITY

The Park City door design is an architectural quality, solid wood door. Choose from the highest quality wood species, and then choose your grade of lumber. With end to end control in the manufacturing process, you won't be disappointed with our products.

See our color chart for available wood species and color choices. We use VOC Free products to ensure you and your clients will be healthy over time, since our doors don't off let harmful VOC's.

## DETAILS

- Our doors are stile and rail construction available in 1- $\frac{3}{4}$  " or 2- $\frac{1}{4}$  " thickness.
- Custom widths are available on request.
- LVL Cores in all models.
- Exterior doors are glued and doweled with a marine epoxy to withstand the worst weather.
- Heavy Duty 3 ply wood veneers with matching 1- $\frac{3}{4}$  " or 2  $\frac{1}{4}$  " stile and composite lumber core.
- Machined to specification.
- 90 Min. Fire Rating

# SLIDING RAIL BARN DOORS



PARK CITY BARNDOOR




Plank



Asterisk Brace



Z Brace



X Brace

## SPECIAL OPTIONS



## TEXTURES

---

### 1. DISTRESSED

DINGEWOOD offers the exceptional feature of textured doors. DINGEWOOD offers LIMITED distressing, to help create an authentic weathered wood appearance.


### 2. SMOOTH FACE

DINGEWOOD doors do not have to be textured. You can order a “smooth face” door and still enjoy our special oxidizing stains. Smooth doors are modern and sleek.

# CUSTOM WOOD DOORS





---

Do you love our colors, but have a custom door design in mind? That's not a problem. DINGEWOOD's USA based manufacturing plant can make your custom designed INTERIOR or EXTERIOR wood doors. If you have your CAD drawings, we can provide you with a quote and lead times.



DOORS

## DOOR COLORS & SPECIES



DOORS



***DINGEWOOD***

***Ph: 801. 427. 4450***

***Email: Sales.Dingewood@gmail.com***

***Mailing: 1343 S 1110 W Orem UT 84058***