



★ DINGEWOOD ★

AWESOMENESS BY THE BOARD FOOT

LUMBER







---

## DIMENSIONAL LUMBER

DINGEWOOD architectural products comes in a variety of profiles, widths, and sizes. All wood orders are custom, so we can meet your job specifications.

DINGEWOOD. uses only the highest quality architectural coatings, to ensure gorgeous, realistically weathered looking materials. Wood siding can be ordered with a topcoat for the highest quality nano-technology exterior wood protection, with warranty available.

We are making sure more than just your lumber last through our strict adherence to environmentally sensitive manufacturing policies and procedures.

---

## LUMBER INFORMATION

DINGEWOOD lumber is stunningly beautiful! Our colors are unlike anything else on the market, replicating the look of authentic barnwood!

Wood can come in a WIDE range of wood species, so you can get the perfect wood for your project. Not only that, prefabricated, weathered wood comes with unlimited supply and at a price you can afford!

- Milled S4S Lumber can be provided in nearly any wood species.
- Exterior species can be waterproofed in our mill.


Wood and factory finishes are of such quality to be suitable for commercial and residential spaces. Numerous styles are available and can fit any space stylistically. Our high standards and workmanship ensure complete client satisfaction.





# LUMBER SPECIFICATIONS INFORMATION

- WIDTHS: Typically, 4", 6", 8"
- LENGTHS: Vary
- THICKNESS: Solid wood only, starts at ½ "
- COLORS: Large variety of colors, both reactive and semi-transparent stains.
- COLOR MATCHING: Available
- LEED: Up to 7 LEED credits available
- FINISHES: Raw Wood or Factory Finishes Available
- MADE in AMERICA: Milled and coated in USA mills



## LUMBER ORDERING INFORMATION

- LEAD TIMES: Limited wood species are available in stock. Most orders are run to order, inquire for lead time.
- QUANTITY: Orders can be placed by the linear foot, square foot or pallet. (Smallest orders typically begin at a half pallet.)
- COLORS: Color choices are found on our website or DW Color Sheet.
- SPECIES: Lumber comes in nearly any wood species.
- FINISHING: Factory finishes are available. We use 2 application methods, either S4S or only the faces.
  - S4S: Wood is run through a flood coat system and rack dried before being palletized.
  - Single Face: Color is applied using a spray application system, for a consistent and beautiful finish.
- EXTERIORS: Wood products may suitable for exterior use. Specify when ordering. Exterior woods are sealed with two coats of Exterior Waterproofer, with 6-10 year warranty.





## FIRE RATING

Fire Retardant application is available upon request, making Dingewood products suitable for schools, hospitals, stores, restaurants, retail locations, etc. Wood has two coats of retardant applied using a S4S flood system. Specify “Exterior Sealer” when ordering.

### Tunnel Test Results:

Flame Spread – 25	Fuel Contribution – 0	Smoke Density – 85
-------------------	-----------------------	--------------------




- Above tests are equivalent to UL723, ANSI No. 2.5, NFPA No. 255 and UBC No. 42-1.
- Meets and Exceeds NFPA Test No. 701.

## EXTERIOR SEALER

Appropriate wood species can be prepared for exterior use with an Exterior Sealer. Exterior woods are sealed with two coats of Exterior Waterproofer, with 6-10 year warranty. Sealer is applied using a flood system for S4S application. Specify “Exterior Sealer” when ordering.



## SIDING COLORS & SPECIES












---

## SIDING COLORS & SPECIES

---







★ DINGEWOOD ★  
AWESOMENESS BY THE BOARD FOOT

**PH: 801. 427. 4450**

**EMAIL: [Sales.Dingewood@ gmail.com](mailto:Sales.Dingewood@gmail.com)**

**MAILING: 1343 S. 1110 W. Orem, UT 84058**