



★ DINGEWOOD ★
AWESOMENESS BY THE BOARD FOOT
SIDING





SIDING

DINGEWOOD SIDING is the best alternative to reclaimed wood. Our color and our pricing will send wicked chills up and down your spine, shocking your soul waves of delight! Our siding is known for its pristine construction standards and flexibility of design. When it comes to giving you the highest end rustic look on your walls, ceilings, or exteriors, we are your solution! Our products are S4S sealed and protected with a ten year warranty.

We specialize in delivering custom interior or exterior siding and trim that has been pre-stained and treated to keep your exterior siding and trim to help protect your investment. D.W. products are aged to a realistic weathered finish using state of the art processes that can be topcoated for added durability. The finished look is both a gorgeous and sustainable weathered-looking material.

SIDING INFORMATION

DINGEWOOD siding is stunningly beautiful and made from the highest quality materials. Siding comes in three styles: BEVEL, CHANNEL, & TONGUE & GROOVE.

Siding is available in a variety of wood species, including:

- Red Cedar
- Douglas Fir
- Redwood
- Alder
- Hemlock
- Poplar
- Pine
- Oak

Siding is of such quality to be suitable for commercial and residential spaces. Numerous styles are available and can fit any space stylistically. Siding requires minimal prep work upon delivery. Our high standards ensure complete client satisfaction.



BEVEL SIDING OVERVIEW



BEVEL SIDING EXAMPLES



Style: BARNWOOD
Species: VG CEDAR, SMOOTH







Style: CLAY
Species: VG CEDAR SMOOTH



Beveled wood siding tapers from thick to thin, which gives it a layered look and allowing gaps that let the wood expand and contract. It is produced by resawing lumber at an angle to produce two pieces thicker on one edge than the other. The manufacturing process results in pieces with one face saw textured. The other face is smooth or saw textured depending on the grade and customer preference. Bevel siding is available in clear and knotty grades.

BEVEL SIDING PROFILES



CHANNEL SIDING OVERVIEW



CHANNEL SIDING EXAMPLES



Style: BARNWOOD
Species: SMOOTH FLAT CUT RED
CEDAR









Style: BARNWOOD
Species: ROUGH RED CEDAR



Style: BARNWOOD
Species: VG RED CEDAR

Channel wood siding is a type of lap siding that leaves a "channel" or indent in the wood. Channel Rustic siding is installed horizontally with the edge of one board having a recessed area along its rear which receives the shaped top-rear edge of the board next to or below it, so as to exclude water during rainfall. In vertical applications, bevel cut the ends and install the channel siding so water is directed to the outside. Channel siding installs with a minimal amount of effort and material wastage. Clear grades are milled and priced to order. Channel Rustic Siding has 1/2" overlap (including an approximate 1/8" gap) and a 1" to 1 1/4" reveal that when installed creates a channel effect between siding boards.

CHANNEL SIDING PROFILES



TONGUE & GROOVE SIDING OVERVIEW




TONGUE & GROOVE EXAMPLES

Tongue & Groove style of installation is probably one of the most commonly used throughout the country. This wood siding is similar in appearance to that of Channel siding. It is produced by resawing lumber at an angle to produce two pieces thicker on one edge than the other. Tongue and groove siding is available with rough or smooth faces.




Style: ALMOND
Species: ALDER



Style: SUMMIT
Species: ALDER







SIDING SPECIFICATIONS

DIMENSIONS

- WIDTHS: Typically, 4", 6", 8"
- LENGTHS: Vary
- THICKNESS: Solid wood starts at ½ "


COLORS: Raw wood is available. Color choices are found on our website or on the Dingewood Color Sheet.

Two Available Color Systems

- Elements: Reactive color process, that turns new wood into barnwood! The wood itself becomes weathered and the colors are right from nature.
- Habitat: Semi-transparent stains picked straight from nature.

LEED: Up to 7 LEED credits available

MADE in AMERICA: Milled and coated in USA mills



FIRE RATING

Fire Retardant application is available upon request, making Dingewood products suitable for schools, hospitals, stores, restaurants, retail locations, etc. Wood has two coats of retardant applied using a S4S flood system. Specify “Exterior Sealer” when ordering.

Tunnel Test Results:

Flame Spread – 25	Fuel Contribution – 0	Smoke Density – 85
-------------------	-----------------------	--------------------

- Above tests are equivalent to UL723, ANSI No. 2.5, NFPA No. 255 and UBC No. 42-1.
- Meets and Exceeds NFPA Test No. 701.

EXTERIOR SEALER

Appropriate wood species can be prepared for exterior use with an Exterior Sealer. Exterior woods are sealed with two coats of Exterior Waterproofer, with 6-10 year warranty. Sealer is applied using a flood system for S4S application. Specify “Exterior Sealer” when ordering.



SIDING ORDERING INFORMATION

LEAD TIMES:

- Limited wood species are available in stock. Most orders are run to order, inquire for lead time.

QUANTITY: Orders can be placed by the linear foot, square foot or pallet. Smallest orders typically begin at a half pallet.

SPECIES: Lumber comes in nearly any wood species. Colors are wood species contingent, due to reactive stain properties.

FINISHING: Factory finishes are available. Fire retardants and exterior wood sealers are available.

For stain application, 2 application methods are available: S4S or single face.

- S4S: Wood is run through a flood coat system and rack dried before being palletized.
- Single Face: Color is applied using a spray application system, for a consistent and beautiful finish.

EXTERIORS: Wood products may suitable for exterior use depending on wood species.



TEXTURES

1st Tier



SMOOTH



ROUGH SAWN

2nd Tier



SAND BLASTED





HAND HEWN









WIRE BRUSHED

SIDING COLORS & SPECIES



SIDING COLORS & SPECIES





★ DINGEWOOD ★
AWESOMENESS BY THE BOARD FOOT

PH: 801. 427. 4450

EMAIL: [Sales.Dingewood@ gmail.com](mailto:Sales.Dingewood@gmail.com)

MAILING: 1343 S. 1110 W. Orem, UT 84058